

2019 Model Year Standard Specification



Principal Dimensions

Length overall:

32'9" (9.99m)

Fuel capacity:

150 gallons / 180 US gallons (680 litres)

Beam:

11'6" (3.5m)

Displacement (light):

5.93 tonnes / 6.65 US tons (6,029kg)

Draught:

2'10" (0.87m) unloaded

Water capacity:

44 gallons / 52 US gallons (200 litres)

Number of berths:

2 - 4

Black waste capacity:

24 gallons / 26.4 US gallons (100 litres)

Engines & Performance

2 x Volvo Penta V6-240 petrol, sterndrive (240mhp each):

33 knots (estimated)

2 x Volvo Penta D3-220 diesel, sterndrive (220mhp each):

33 knots (estimated)

2 x Volvo Penta V8-430 petrol, sterndrive (430mhp each):

45 knots (estimated)

2 x Mercruiser V8 8.2 430 petrol, sterndrive (430mhp each):


45 knots (estimated)

Deck Plans

Main Deck



Lower Deck



Deck

Anchor chain locker	Mooring lines
Anchor winch controls	Navigation lights
Anchor winch (electric)	Moulded non-slip deck surface
Bilge pump switches with integral operating warning lights & audible alarms	Recessed self-draining area on foredeck for coach roof sun cushions
Burgee staff & Fairline burgee	Riding light
Calibrated anchor chain	Rubbing strake
Carbon fibre ensign staff	Self-stowing stainless-steel anchor (10kg)
Chain stopper (10mm)	Stainless steel pop-up bow, spring & stern cleats
Fender set	Stainless steel stemhead roller
Fuel filler	Side access gates
Fuel gauges	Toughened, single piece, curved glass windscreen
High capacity emergency manual bilge pump system	Water filler
Horn	Waste outlet
Hot & cold water transom shower	

Helm Position

USB socket	Full engine monitoring including; digital tachometers, oil pressure gauges, temperature gauges, audible alarms, engine hour meters, helm position indicator, compass
7" display screen	Garmin VHF 300i marine radio
Controls for engine bay fire extinguisher system	Remote anchor winch controls
Drinks holders	Twin helm seats – fixed height
Electronic single-lever throttle & gear controls for port & starboard engines	

Electrical Systems

All 240V, 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel

Electrical sockets

Heavy duty circuit breakers

Isolating switches to all batteries

12 Volt

Batteries – 2 x heavy duty batteries for domestic services

1 x heavy duty battery for exclusive port engine starting

1 x heavy duty battery for exclusive starboard engine starting

Emergency battery coupling system permits starboard engine to start port engine if domestic batteries accidentally discharged

240 Volt

Polarity check & earth leakage protection system

Regulated battery inverter/charger

Shore power supply

Cockpit

2 x 8" waterproof speakers

Bar unit with sink

Boat hook

Drinks holders

Engine bay access hatch

Fender stowage

Fenders

Forward & aft facing seating

Fusion audio unit with Bluetooth connectivity

Life raft stowage

Manual bilge pumps

Moulded non-slip deck surface

Step for side deck access

Stowage lockers

Transom safety hoops

Transom washboard

USB socket

Vinyl tonneau cover

Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by the Fairline Yachts Interior Design Studio.

Hullform & Construction

Antifouling protection to hull

Deep 'V' hull

Design, layout & detailing by AM Yacht Design and the Fairline Yachts Design Studio

Full length moulded spray deflectors

Hull colour – White

Integrally moulded engine bearers

Polyurethane foam cores throughout deck for strength & thermal insulation

Resin infused hull & internal liner

Transverse & longitudinal strengthening stringers throughout hull

Lower Saloon

Access to head
 Companionway timber steps with lighting
 First aid kit
 Fixed height table
 Electrical distribution panel
 Fire extinguisher (manual)

'V' shape sofa
 LED ceiling lights
 Lockers (overhead)
 Sliding door to cockpit
 Stowage lockers under seating
 Stereo with Bluetooth

Mid Cabin

Double bed
 LED ceiling lights
 Opening porthole

2 x small hanging lockers
 4 x trinket lockers

Head

Automatic shower tray pump-out system
 Electric silent-flush freshwater toilet
 Extractor fan
 Foundations® vanity unit locker & basin with hot & cold pressurised water
 Full set of bathroom fittings

Full standing-height shower with curtain and adjustable shower head
 Hand basin with hot & cold water
 Mirror
 Skylight
 Stowage locker

Engines & Sterngear

Automatic bilge pumps for engine bay with a manual 'on' override
 Automatic engine bay fire extinguisher system
 Electric engine bay fans
 Electric trim tabs with cathodic protection

Engine bay lights
 Engine room soundproofing
 Sea cocks on all inlets/outlets below waterline

Fuel System

Emergency fuel shut-off valves
 High capacity water separators & fuel filters

Individual fillers & vents to port & starboard
 Twin fuel tanks with balance pipe

Freshwater System

Automatic, pressurised supply
 Calorifier hot water system – 60 litre capacity

Water tank – 200 litre capacity

Black Waste

Holding tank – 100 litre capacity

USA Specifications

In addition to or in lieu of those listed above

Voltage - 110V 60Hz

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith, but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees