# Tiara Yachts 48LS Triple Mercury Verado V12

## PERFORMANCE REPORT



Date Tested: 1/27/2021 Test Engineers: Frank Hercinger, Mike Mitchell

Hull Number: SSUKE001A122 Location: Lake X, St.Cloud, FL

Weather: Cloudy, Wind SW 10-15, Waves 1' Chop

Water / Air Temp: 70 / 76

Propeller: Mercury Verado V12 Duo-Prop 31/27/31 Gears/Gear Ratio: 2-speed transmission/ 1.75:1 - 2.5:1

Fuel Capacity: 662 Gallons Fuel/Water/Waste: 100% / 100% / 100%

People on Board: 3

Gear on Board: 750 lbs Includes people and gear

Weight as Tested: 33,877 lbs

Enigne Mounting: Outboard Engines - Hole 3 Center Engine - Hole 4

#### PERFORMANCE SUMMARY:

Acceleration: 0-30 = 9.6 Seconds
Optimum Cruise Speed: 38.2 mph @ 4500 RPM
Range at Optimum Cruise: 368 Statute Miles

| RPM  | MPH  | Knots | GPH   | Statute | Nautical | dB,A* | Trim Angle | Estimated Range | Estimated Range  |
|------|------|-------|-------|---------|----------|-------|------------|-----------------|------------------|
|      |      |       |       | MPG     | MPG      |       | (degrees)  | (Statute Miles) | (Nautical Miles) |
|      |      |       |       |         |          |       |            |                 |                  |
| 700  | 4.5  | 3.9   | 4.0   | 1.11    | 0.97     | 58/63 | 0.1        | 664             | 577              |
| 1000 | 5.7  | 5.0   | 6.2   | 0.93    | 0.81     | 58/63 | 0.0        | 552             | 480              |
| 1500 | 8.0  | 7.0   | 9.3   | 0.86    | 0.75     | 60/67 | 0.3        | 511             | 444              |
| 2000 | 9.8  | 8.5   | 15.3  | 0.64    | 0.56     | 63/70 | 1.4        | 381             | 331              |
| 2500 | 10.8 | 9.4   | 22.7  | 0.48    | 0.41     | 65/72 | 3.4        | 284             | 246              |
| 3000 | 12.5 | 10.9  | 35.2  | 0.36    | 0.31     | 67/73 | 5.2        | 212             | 184              |
| 3500 | 23.1 | 20.1  | 48.7  | 0.47    | 0.41     | 74/82 | 5.4        | 283             | 246              |
| 4000 | 31.0 | 27.0  | 51.0  | 0.61    | 0.53     | 77/83 | 4.5        | 362             | 314              |
| 4500 | 38.2 | 33.2  | 61.8  | 0.62    | 0.54     | 77/83 | 3.4        | 368             | 320              |
| 5000 | 43.0 | 37.4  | 79.2  | 0.54    | 0.47     | 79/86 | 3.0        | 324             | 281              |
| 5500 | 49.9 | 43.4  | 104.9 | 0.48    | 0.41     | 81/88 | 2.1        | 283             | 246              |
| 6000 | 55.0 | 47.8  | 139.3 | 0.39    | 0.34     | 82/88 | 2.1        | 235             | 204              |
| 6373 | 57.8 | 50.3  | 157.2 | 0.37    | 0.32     | 82/88 | 2.1        | 219             | 190              |

### This boat has passed the ABYC Quick Turn Test H-26.8.3.1 at WOT.

\*dB,A taken with side doors and vertical rear enclosure closed/open Performace data taken at a non-Seakeeper equipped weight.

#### Notes

Speed determined by GPS, GPH based on the total usage of the engines. MPG computed from MPH and GPH figures shown. Range based on calculated MPG and 90% of total fuel capacity. The performance data shown above should be considered valid only for the specific boat whose serial number is shown and on the date this test was performed.

Many factors may affect actual performance obtained on this boat or on similar boats. These include but are not limited to, installation of certain options such as gyros, vessel loading and trim, weather and sea conditions, engine and boat condition, propeller condition, water temperature, altitude, manufacturing tolerances, etc. Tiara Yachts makes no guarantees whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.